


PULEGGE DENTATE H 100

Pulley H 100



H 100
PASSO 1/2" (12,7 mm)
PER CINGHIE LARGHEZZA 1" (25,4 mm)



Materiale: Acciaio (St)
Materiale: Ghisa (GG)

tipo	materiale denti	bussola	foro max	dp	de	Df	Dm	Di	F	L	R	n° flangia	Kg.
16F	St	16	1108	28	64,68	63,31	71	45	31,0	22,0	9,0	311	0,42
16F	St	18	1210	32	72,77	71,39	79	52	31,0	25,0	6,0	313	0,49
16F	St	19	1210	32	76,81	75,44	83	56	31,0	25,0	6,0	314	0,62
16F	St	20	1210	32	80,85	79,48	87	60	31,0	25,0	6,0	315	0,73
16F	St	21	1210	32	84,89	83,52	91	64	32,0	25,0	7,0	316	0,80
16F	St	22	1210	32	88,94	87,56	93	67	32,0	25,0	7,0	317	0,94
16F	St	23	1610	42	92,98	91,61	97	70	32,0	25,0	7,0	318	0,97
16F	St	24	1610	42	97,02	95,65	103	73,5	32,0	25,0	7,0	320	1,05
16F	St	25	1610	42	101,06	99,69	106	77	32,0	25,0	7,0	321	1,10
16F	St	26	1610	42	105,11	103,73	111	82	32,0	25,0	7,0	322	1,20
16F	St	27	1610	42	109,15	107,78	115	85	32,0	25,0	7,0	323	1,35
16F	St	28	1610	42	113,19	111,82	119	90,5	32,0	25,0	7,0	325	1,50
16F	St	30	1610	42	121,28	119,90	127	98	32,0	25,0	7,0	327	1,78
17F	St	32	1610	42	129,36	127,99	135	90	32,0	25,0	7,0	328	2,05
17F	St	36	1610	42	145,53	144,16	152	92	32,0	25,0	7,0	334	2,80
17F	St	40	1610	42	161,70	160,33	168	92	32,0	25,0	7,0	338	3,65
21F	St	44	2012	50	177,87	176,50	184	106	32,0	32,0		339	3,86
21F	St	48	2012	50	194,04	192,67	200	106	32,0	32,0		342	4,20
20	GG	60	2012	50	242,55	241,18		106	34,0	32,0	1,0		3,76
20	GG	72	2012	50	291,06	289,69		106	34,0	32,0	1,0		4,88
20	GG	84	2012	50	339,57	338,20		106	34,0	32,0	1,0		6,12
14	GG	96	2517	60	388,08	386,71		119	34,0	45,0	5,5		7,95
14	GG	120	2517	60	485,10	483,73		119	34,0	45,0	5,5		10,05